



Commonwealth of Massachusetts
OFFICE OF CONSUMER AFFAIRS AND BUSINESS REGULATION
DIVISION OF PROFESSIONAL LICENSURE
1000 Washington St, Suite 710
Boston, Massachusetts 02118-6100
BOARD OF STATE EXAMINERS OF PLUMBERS AND GASFITTERS

August 15, 2017

Absolitaire
5496 N. Riverview Drive
Kalamazoo
MI, 49004 USA

You are hereby advised that on 8/2/2017 the Board took action pursuant to your application(s) for extended Product acceptance for product(s) as indicated on the attached list.

Accepted

The acceptance number(s) displayed have been granted. Please be advised, the product shall be installed in compliance with CMR 248, the Massachusetts Fuel Gas and Plumbing Code. Your extended Product acceptance is in effect for three years beginning 8/2/2017. At the expiration of the extended three year Product acceptance it will be necessary for the manufacturer to petition this Board for an additional three year extended Product acceptance. You are further advised that the preceding accepted Product are not to be construed as an endorsement of these products nor is this letter to be used or reproduced as advertisement of the products.

Tablings

If an extended Product acceptance was Tabled for 'insufficient receipt of (a specified) fee', forward the balance of the fee due directly to the Board Office at the address shown above. Additionally, if this is the only reason for the Tabling decision, you will not be required to appear before the Board again.

If an extended Product acceptance was Tabled due to the absence of a manufacturers representative ('Failure to Appear') as required, call the Board Office at (617) 727-9952 to re-schedule an appearance before the Board. Failure to reschedule within six months of the date of this correspondence will result in the application fee being forfeited and the closing of your file. Note: extended Product-approvals may not require a manufacturers representative to be present at the Board meeting. Please call the Board Office for verification.

If you have any questions regarding the extended Product acceptance decision reached by the Board, please call the Board Office at (617) 727-9952 or email the Board at cynthia.e.johnson@state.ma.us.

Very truly yours,
For the Board

Wayne E. Thomas, Executive Director
Board of State Examiners of Plumbers and Gas Fitters

<http://www.mass.gov/dpl/boards/pl/>
Forms available at <http://www.mass.gov/dpl/boards/pl/forms.htm>

Manufacturer: Absolutaire

Product Name	Model	Action	Acceptance Code	: Expiration Date/Tabling Reaso
AA-Series Make Up Air	AA1	Accepted	G3-0817-52	8/2/2020
AA-Series Make Up Air	AA1700	Accepted	G3-0817-52	8/2/2020
AA-Series Make Up Air	AA2	Accepted	G3-0817-52	8/2/2020
AA-Series Make Up Air	AA3	Accepted	G3-0817-52	8/2/2020
AA-Series Make Up Air	AA3000	Accepted	G3-0817-52	8/2/2020
AA-Series Make Up Air	AA4	Accepted	G3-0817-52	8/2/2020
AA-Series Make Up Air	AA5	Accepted	G3-0817-52	8/2/2020
AA-Series Make Up Air	AA6	Accepted	G3-0817-52	8/2/2020
AA-Series Make Up Air	AA7	Accepted	G3-0817-52	8/2/2020
AA-Series Make Up Air	AA8	Accepted	G3-0817-52	8/2/2020
E-Series Make Up Air	E1	Accepted	G3-0817-52	8/2/2020
E-Series Make Up Air	E2	Accepted	G3-0817-52	8/2/2020
E-Series Make Up Air	E3	Accepted	G3-0817-52	8/2/2020
E-Series Make Up Air	E4	Accepted	G3-0817-52	8/2/2020
E-Series Make Up Air	E5	Accepted	G3-0817-52	8/2/2020
E-Series Make Up Air	E6	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R318	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R320	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R327	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R330	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R336	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R340	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R344	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R349	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R354	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R360	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R366	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R373	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R380	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R389	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R427	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R430	Accepted	G3-0817-52	8/2/2020

R-Series Make Up Air	R436	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R440	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R444	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R449	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R454	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R460	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R466	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R473	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R480	Accepted	G3-0817-52	8/2/2020
R-Series Make Up Air	R489	Accepted	G3-0817-52	8/2/2020
V-Series Make Up Air	V1	Accepted	G3-0817-52	8/2/2020
V-Series Make Up Air	V2	Accepted	G3-0817-52	8/2/2020
V-Series Make Up Air	V3	Accepted	G3-0817-52	8/2/2020
V-Series Make Up Air	V4	Accepted	G3-0817-52	8/2/2020
V-Series Make Up Air	V5	Accepted	G3-0817-52	8/2/2020