

Table of Contents

AA1700 thru AA3, Horizontal, Outdoor	3
100% OA, Inlet Hood	4
100% OA, Filtered Inlet Hood	5
OA/RA, Inlet Hood	6
OA/RA, Filtered Inlet Hood	7
100% OA, Side Access Filter Section, Inlet Hood	8
OA/RA, Side Access Filter Section, Inlet Hood	9
OA/RA, Filtered Mixbox, Inlet Hood	10
AA1700 thru AA3, Horizontal, Indoor	11
100% OA, Base Cabinet Only	12
OA/RA, Base Cabinet Only	13
100% OA, Side Access Filter Section	14
OA/RA, Side Access Filter Section	15
OA/RA, Filtered Mixbox	16
AA1700 thru AA3, Upright	17
100% OA, Base Cabinet Only, Legs	18
100% OA, Base Cabinet Only, Angle Stand	19
OA/RA, Base Cabinet Only, Legs	20
OA/RA, Base Cabinet Only, Angle Stand	21
100% OA, Side Access Filter Section, Legs	22
100% OA, Side Access Filter Section, Angle Stand	23
OA/RA, Side Access Filter Section, Legs	24
OA/RA, Side Access Filter Section, Angle Stand	25
OA/RA, Filtered Mixbox, Legs	26
OA/RA, Filtered Mixbox, Angle Stand	27
AA4 thru AA8, Horizontal, Outdoor	28
100% OA, Inlet Hood	29
100% OA, Filtered Inlet Hood	30
OA/RA, Inlet Hood	31
OA/RA, Filtered Inlet Hood	32
100% OA, Side Access Filter Section, Inlet Hood	33
OA/RA, Side Access Filter Section, Inlet Hood	34

OA/RA, Filtered Mixbox, Inlet Hood	35
AA4 thru AA8, Horizontal, Indoor	36
100% OA, Base Cabinet Only	37
OA/RA, Base Cabinet Only	38
100% OA, Side Access Filter Section	39
OA/RA, Side Access Filter Section	40
OA/RA, Filtered Mixbox	41
AA4 thru AA8, Upright	42
100% OA, Base Cabinet Only, Legs	43
100% OA, Base Cabinet Only, Angle Stand	44
OA/RA, Base Cabinet Only, Legs	45
OA/RA, Base Cabinet Only, Angle Stand	46
100% OA, Side Access Filter Section, Legs	47
100% OA, Side Access Filter Section, Angle Stand	48
OA/RA, Side Access Filter Section, Legs	49
OA/RA, Side Access Filter Section, Angle Stand	50
OA/RA, Filtered Mixbox, Legs	51
OA/RA, Filtered Mixbox, Angle Stand	52

AA-Series

Outdoor Horizontal

Sizes: AA1700 – AA3

Legend:

Base Cab: The burner and blower section

IH: Inlet Hood with bird screen

FIH: Filtered Inlet Hood


RA: Return Air opening in base cabinet (not filtered)

SAFS: Side Access Filter Section


FMB: Filter Mix Box includes both OA/RA dampers and filters

PRELIMINARY DRAWING

PROPRIETARY



PLAN VIEW



ELEVATION VIEW

CF = CONSULT FACTORY


N/A = NOT AVAILABLE

* = DIMS ARE FOR MAX FAN SIZE

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	400#	550#	875#	875#	1,050#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

-

MODEL: AA1700-3H

TAC: -

DRAWN BY:

A. REEG

DATE: 4-16-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

PRELIMINARY DRAWING

PROPRIETARY



PLAN VIEW



ELEVATION VIEW

CF = CONSULT FACTORY


N/A = NOT AVAILABLE

* = DIMS ARE FOR MAX FAN SIZE

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	400#	575#	900#	900#	1,075#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

-

MODEL: AA1700-3H

TAC: -

DRAWN BY:

A. REEG

DATE: 4-16-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

PRELIMINARY DRAWING

PROPRIETARY



PLAN VIEW



ELEVATION VIEW

CF = CONSULT FACTORY


N/A = NOT AVAILABLE

* = DIMS ARE FOR MAX FAN SIZE

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	400#	550#	875#	875#	1,050#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3H

TAC: —

DRAWN BY:

A. REEG

DATE: 4-16-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

PRELIMINARY DRAWING

PROPRIETARY



PLAN VIEW



ELEVATION VIEW

CF = CONSULT FACTORY


N/A = NOT AVAILABLE

* = DIMS ARE FOR MAX FAN SIZE

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	400#	575#	900#	900#	1,075#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3H

TAC: —

DRAWN BY:

A. REEG

DATE: 4-16-08



SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

PRELIMINARY DRAWING


PROPRIETARY



CF = CONSULT FACTORY
N/A = NOT AVAILABLE
* = DIMS ARE FOR MAX FAN SIZE

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	475#	675#	1,075#	1,075#	1,250#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3H

TAC: —

DRAWN BY:

A. REEG

DATE: 4-16-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

PRELIMINARY DRAWING

PROPRIETARY



PLAN VIEW



ELEVATION VIEW

CF = CONSULT FACTORY

N/A = NOT AVAILABLE

* = DIMS ARE FOR MAX FAN SIZE

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	475#	675#	1,075#	1,075#	1,250#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3H

TAC: —

DRAWN BY:

A. REEG

DATE: 4-16-08



SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

PRELIMINARY DRAWING

PROPRIETARY



CF = CONSULT FACTORY
N/A = NOT AVAILABLE
* = DIMS ARE FOR MAX FAN SIZE

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	NA	750#	1,150#	1,150#	1,425#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3H

TAC: —

DRAWN BY:

A. REEG

DATE: 4-16-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

AA-Series

Indoor Horizontal

Sizes: AA1700 – AA3

Legend:

Base Cab: The burner and blower section

IH: Inlet Hood with bird screen

FIH: Filtered Inlet Hood

RA: Return Air opening in base cabinet (not filtered)

SAFS: Side Access Filter Section



FMB: Filter Mix Box includes both OA/RA dampers and filters

PRELIMINARY DRAWING

PROPRIETARY

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.




CF = CONSULT FACTORY

N/A = NOT AVAILABLE

* = DIMS ARE FOR MAX FAN SIZE

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT					



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

-

MODEL: AA1700-3H

TAC: -

DRAWN BY:

A. REEG

DATE: 4-16-08

SCALE: NONE

CERTIFIED BY:



DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

PRELIMINARY DRAWING

PROPRIETARY

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.




CF = CONSULT FACTORY

N/A = NOT AVAILABLE

* = DIMS ARE FOR MAX FAN SIZE

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT					



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3H

TAC: —

DRAWN BY:

A. REEG

DATE: 4-16-08



SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ


PRELIMINARY DRAWING

PROPRIETARY



CF = CONSULT FACTORY
N/A = NOT AVAILABLE
* = DIMS ARE FOR MAX FAN SIZE

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	425#	625#	950#	950#	1,175#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3H

TAC: —

DRAWN BY:

A. REEG

DATE: 4-16-08



SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

PRELIMINARY DRAWING


PROPRIETARY



CF = CONSULT FACTORY
N/A = NOT AVAILABLE
* = DIMS ARE FOR MAX FAN SIZE

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	425#	625#	950#	950#	1,175#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3H

TAC: —

DRAWN BY:

A. REEG

DATE: 4-16-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

PRELIMINARY DRAWING

PROPRIETARY



PLAN VIEW



ELEVATION VIEW

CF = CONSULT FACTORY


N/A = NOT AVAILABLE

* = DIMS ARE FOR MAX FAN SIZE

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	NA	8	6	6	6
L	NA	12	16	16	20
M	NA	3 3/4	4 9/16	4 9/16	4 9/16
N	NA	22	29	29	36
C1	15	36	36	36	36
D1	NA	12	16	16	20
E1	NA	20	28	28	36
K1	NA	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	NA	700#	975#	975#	1,350#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 HORIZONTAL DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3H

TAC: —

DRAWN BY:

A. REEG

DATE: 4-16-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3HORZ

AA-Series

Upright

Sizes: AA1700 – AA3

Legend:

Base Cab: The burner and blower section

IH: Inlet Hood with bird screen

FIH: Filtered Inlet Hood


RA: Return Air opening in base cabinet (not filtered)

SAFS: Side Access Filter Section

FMB: Filter Mix Box includes both OA/RA dampers and filters

PRELIMINARY DRAWING


PROPRIETARY



UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	N/A	8	6	6	6
L	N/A	12	16	16	20
M	N/A	3 3/4	4 9/16	4 9/16	4 9/16
N	N/A	22	29	29	36
C1	15	36	36	36	36
D1	N/A	12	16	16	20
E1	N/A	20	28	28	36
K1	N/A	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	450#	650#	1,025#	1,075#	1,275#

CF = CONSULT FACTORY
 N/A = NOT AVAILABLE
 * = DIMS ARE FOR MAX FAN SIZE
 UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM LEG HEIGHT REQUIRED




* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:	AA1700-3 UPRIGHT DIM. CHART		
REF. NO./JOB NO.:	—	MODEL: AA1700-3U	TAC: —
DRAWN BY:	A. REEG	DATE: 10-6-08	SCALE: NONE
CERTIFIED BY:		DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3UPRT	


PRELIMINARY DRAWING

PROPRIETARY



UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	N/A	8	6	6	6
L	N/A	12	16	16	20
M	N/A	3 3/4	4 9/16	4 9/16	4 9/16
N	N/A	22	29	29	36
C1	15	36	36	36	36
D1	N/A	12	16	16	20
E1	N/A	20	28	28	36
K1	N/A	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	500#	625#	1,000#	1,025#	1,225#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-6-08


SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3UPRT


PRELIMINARY DRAWING

PROPRIETARY



UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	N/A	8	6	6	6
L	N/A	12	16	16	20
M	N/A	3 3/4	4 9/16	4 9/16	4 9/16
N	N/A	22	29	29	36
C1	15	36	36	36	36
D1	N/A	12	16	16	20
E1	N/A	20	28	28	36
K1	N/A	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	450#	650#	1,025#	1,075#	1,275#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-6-08


SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3UPRT

PRELIMINARY DRAWING


PROPRIETARY



GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	N/A	8	6	6	6
L	N/A	12	16	16	20
M	N/A	3 3/4	4 9/16	4 9/16	4 9/16
N	N/A	22	29	29	36
C1	15	36	36	36	36
D1	N/A	12	16	16	20
E1	N/A	20	28	28	36
K1	N/A	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	500#	625#	1,000#	1,025#	1,225#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-6-08


SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3UPRT

PRELIMINARY DRAWING


PROPRIETARY



UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	N/A	8	6	6	6
L	N/A	12	16	16	20
M	N/A	3 3/4	4 9/16	4 9/16	4 9/16
N	N/A	22	29	29	36
C1	15	36	36	36	36
D1	N/A	12	16	16	20
E1	N/A	20	28	28	36
K1	N/A	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	525#	775#	1,175#	1,225#	1,475#

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM LEG HEIGHT REQUIRED



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-6-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3UPRT

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW



ELEVATION VIEW

CF = CONSULT FACTORY

N/A = NOT AVAILABLE


* = DIMS ARE FOR MAX FAN SIZE

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM STAND HEIGHT REQUIRED

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	N/A	8	6	6	6
L	N/A	12	16	16	20
M	N/A	3 3/4	4 9/16	4 9/16	4 9/16
N	N/A	22	29	29	36
C1	15	36	36	36	36
D1	N/A	12	16	16	20
E1	N/A	20	28	28	36
K1	N/A	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	575#	800#	1,175#	1,225#	1,475#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-6-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3UPRT

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW



ELEVATION VIEW

CF = CONSULT FACTORY

N/A = NOT AVAILABLE


* = DIMS ARE FOR MAX FAN SIZE

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM LEG HEIGHT REQUIRED

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	N/A	8	6	6	6
L	N/A	12	16	16	20
M	N/A	3 3/4	4 9/16	4 9/16	4 9/16
N	N/A	22	29	29	36
C1	15	36	36	36	36
D1	N/A	12	16	16	20
E1	N/A	20	28	28	36
K1	N/A	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	525#	775#	1,175#	1,225#	1,475#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-6-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3UPRT

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW



ELEVATION VIEW

CF = CONSULT FACTORY

N/A = NOT AVAILABLE


* = DIMS ARE FOR MAX FAN SIZE

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM STAND HEIGHT REQUIRED

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	N/A	8	6	6	6
L	N/A	12	16	16	20
M	N/A	3 3/4	4 9/16	4 9/16	4 9/16
N	N/A	22	29	29	36
C1	15	36	36	36	36
D1	N/A	12	16	16	20
E1	N/A	20	28	28	36
K1	N/A	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	575#	800#	1,175#	1,225#	1,475#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-6-08



SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3UPRT

PRELIMINARY DRAWING

PROPRIETARY



CF = CONSULT FACTORY

N/A = NOT AVAILABLE


* = DIMS ARE FOR MAX FAN SIZE

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM LEG HEIGHT REQUIRED

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	N/A	8	6	6	6
L	N/A	12	16	16	20
M	N/A	3 3/4	4 9/16	4 9/16	4 9/16
N	N/A	22	29	29	36
C1	15	36	36	36	36
D1	N/A	12	16	16	20
E1	N/A	20	28	28	36
K1	N/A	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	N/A	800#	1,300#	1,350#	1,650



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-6-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3UPRT

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW



ELEVATION VIEW

CF = CONSULT FACTORY

N/A = NOT AVAILABLE


* = DIMS ARE FOR MAX FAN SIZE

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM STAND HEIGHT REQUIRED

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	1700	3000	AA1	AA2	AA3
A	28	32	40	40	48
B	24	28	33	33	38
C	50	72	92	92	92
D*	CF	9 7/16	10 11/16	10 11/16	13 1/16
E*	7	13 1/8	18 5/8	18 5/8	21 7/8
F*	11 3/8	11 3/8	15 7/8	15 7/8	18 7/8
G*	6 7/16	6 7/16	8 3/4	8 3/4	10 3/8
H*	6 3/16	6 3/16	8 3/8	8 3/8	8 3/4
J*	6 1/2	6 1/2	6	6	6
K	N/A	8	6	6	6
L	N/A	12	16	16	20
M	N/A	3 3/4	4 9/16	4 9/16	4 9/16
N	N/A	22	29	29	36
C1	15	36	36	36	36
D1	N/A	12	16	16	20
E1	N/A	20	28	28	36
K1	N/A	46	48	48	53
L1	24	22 1/2	26 1/2	26 1/2	26 1/2
M1	24	24 3/8	26 1/4	26 1/4	35 5/8
APROX. WEIGHT	N/A	875#	1,275#	1,300#	1,600#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA1700-3 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA1700-3U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-6-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA1700-3UPRT

AA-Series

Outdoor Horizontal

Sizes: AA4 – AA8

Legend:

Base Cab: The burner and blower section

IH: Inlet Hood with bird screen

FIH: Filtered Inlet Hood

RA: Return Air opening in base cabinet (not filtered)

SAFS: Side Access Filter Section

FMB: Filter Mix Box includes both OA/RA dampers and filters



PRELIMINARY DRAWING

PROPRIETARY


REV: 04-17-25

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.



	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,525#	2,650#	2,925#	4,575#	5,150#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8H

TAG: —

DRAWN BY:

A. REEG

DATE: 4-15-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8HORZ



PRELIMINARY DRAWING

PROPRIETARY


REV: 04-17-25

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.



	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,675#	2,825#	3,100#	4,850#	5,600#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

-

MODEL: AA4-8H

TAG: -

DRAWN BY:

A. REEG

DATE: 4-15-08



SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8HORZ


PRELIMINARY DRAWING

PROPRIETARY
REV: 04-17-25



GENERAL NOTES
UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,525#	2,650#	2,925#	4,575#	5,150#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8H

TAG: —

DRAWN BY:

A. REEG

DATE: 4-15-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8HORZ


PRELIMINARY DRAWING

PROPRIETARY


REV: 04-17-25

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.




PLAN VIEW



ELEVATION VIEW

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,675#	2,825#	3,100#	4,850#	5,600#



* 5496 N RIVERVIEW DR * KALAMAZOO MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

MODEL: AA4-8H

TAG: —

DRAWN BY: A REEG

DATE: 4

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8H0R7


PRELIMINARY DRAWING

PROPRIETARY


REV: 04-17-25

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.




PLAN VIEW



ELEVATION VIEW

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,775#	3,000#	3,275#	5,075#	5,800#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8H

TAG: —

DRAWN BY:

A. REEG

DATE: 4-15-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8HORZ


PRELIMINARY DRAWING

PROPRIETARY


REV: 04-17-25

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.




PLAN VIEW



ELEVATION VIEW

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,775#	3,000#	3,275#	5,075#	5,800#



* 5496 N RIVERVIEW DR * KALAMAZOO MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

MODEL: AA4-8H

TAG: —

DRAWN BY:

DATE: 4



SCALE:

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8H0R7


PRELIMINARY DRAWING

PROPRIETARY
REV: 04-17-25



UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	2,000#	3,300#	3,575#	5,625#	6,350#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8H

TAG: —

DRAWN BY:

A. REEG

DATE: 4-15-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8HORZ

AA-Series

Indoor Horizontal

Sizes: AA4 – AA8

Legend:

Base Cab: The burner and blower section

IH: Inlet Hood with bird screen

FIH: Filtered Inlet Hood

RA: Return Air opening in base cabinet (not filtered)

SAFS: Side Access Filter Section

FMB: Filter Mix Box includes both OA/RA dampers and filters



PRELIMINARY DRAWING

PROPRIETARY

REV: 04-17-25

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.



	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT					



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

-

MODEL: AA4-8H

TAG: -

DRAWN BY:

A. REEG

DATE: 4-15-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8HORZ


PRELIMINARY DRAWING

PROPRIETARY


REV: 04-17-25

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.



PLAN VIEW



ELEVATION VIEW

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT					



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

-

MODEL: AA4-8H

TAG: -

DRAWN BY:

A. REEG

DATE: 4-15-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8HORZ


PRELIMINARY DRAWING

PROPRIETARY


REV: 04-17-25

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.




PLAN VIEW



ELEVATION VIEW

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,625#	2,675#	2,950#	4,625#	5,250#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

-

MODEL: AA4-8H

TAG: -

DRAWN BY:

A. REEG

DATE: 4-15-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8HORZ


PRELIMINARY DRAWING

PROPRIETARY


REV: 04-17-25

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.




PLAN VIEW



ELEVATION VIEW

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,625#	2,675#	2,950#	4,625#	5,250#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8H

TAG: —

DRAWN BY:

A. REEG

DATE: 4-15-08

SCALE: NONE


CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8HORZ


PRELIMINARY DRAWING

PROPRIETARY

REV: 04-17-25



PLAN VIEW



ELEVATION VIEW

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	71	78
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,850#	2,975#	3,250#	5,175#	5,800#



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 HORIZONTAL DIM CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8H

TAG: —

DRAWN BY:

A. REEG

DATE: 4-15-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8HORZ

AA-Series

Upright

Sizes: AA4 – AA8

Legend:

Base Cab: The burner and blower section

IH: Inlet Hood with bird screen

FIH: Filtered Inlet Hood


RA: Return Air opening in base cabinet (not filtered)

SAFS: Side Access Filter Section

FMB: Filter Mix Box includes both OA/RA dampers and filters

PRELIMINARY DRAWING

PROPRIETARY




GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	70	77
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,475#	2,425#	2,725#	4,250#	4,775#

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM LEG HEIGHT REQUIRED




* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME: AA4-8 UPRIGHT DIM. CHART

REF. NO./JOB NO.:	—	MODEL: AA4-8U	TAC: —
DRAWN BY:	A. REEG	DATE: 10-3-08	SCALE: NONE
CERTIFIED BY:		DRAWING NO.: S:\UNIT DRAWINGS\AA4-8UPRT-DEL	

PRELIMINARY DRAWING

PROPRIETARY




GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	70	77
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,625#	2,625#	2,900#	4,475#	5,025#

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM STAND HEIGHT REQUIRED



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-3-08


SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8UPRT-DEL

PRELIMINARY DRAWING

PROPRIETARY




GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	70	77
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,475#	2,425#	2,725#	4,250#	4,775#

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM LEG HEIGHT REQUIRED




* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME: AA4-8 UPRIGHT DIM. CHART

REF. NO./JOB NO.:	—	MODEL: AA4-8U	TAC: —
DRAWN BY:	A. REEG	DATE: 10-3-08	SCALE: NONE
CERTIFIED BY:		DRAWING NO.: S:\UNIT DRAWINGS\AA4-8UPRT-DEL	

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW

ELEVATION VIEW

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	70	77
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,625#	2,625#	2,900#	4,475#	5,025#

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM STAND HEIGHT REQUIRED



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-3-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA4-8UPRT-DEL

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW



ELEVATION VIEW

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	70	77
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,775#	2,775#	3,075#	4,750#	5,425#

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM LEG HEIGHT REQUIRED



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-3-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA4-8UPRT-DEL

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW



ELEVATION VIEW

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	70	77
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,875#	2,975#	3,250#	4,975#	5,675#

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM STAND HEIGHT REQUIRED



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-3-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA4-8UPRT-DEL

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW



ELEVATION VIEW

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	70	77
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,775#	2,775#	3,075#	4,750#	5,425#

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM LEG HEIGHT REQUIRED



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-3-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA4-8UPRT-DEL

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW



ELEVATION VIEW


UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM STAND HEIGHT REQUIRED

* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *


PROJECT NAME:	AA4-8 UPRIGHT DIM. CHART		
REF. NO./JOB NO.:	—	MODEL:	AA4-8U
DRAWN BY:	A. REEG	DATE:	10-3-08
CERTIFIED BY:	DRAWING NO.: S:\UNIT DRAWINGS\AA4-8UPRT-DEL		

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW



ELEVATION VIEW

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	70	77
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	1,950#	3,075#	3,375#	5,300#	5,975#

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM LEG HEIGHT REQUIRED



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-3-08


SCALE: NONE

CERTIFIED BY:


DRAWING NO.: S:\UNIT DRAWINGS\AA4-8UPRT-DEL

PRELIMINARY DRAWING

PROPRIETARY



SIDE VIEW




ELEVATION VIEW

GENERAL NOTES

UNLESS OTHERWISE NOTED, ALL EXTERIOR SURFACES ARE TO BE ALUMINIZED STEEL WITH A PAINTED EXTERIOR.

	<u>AA4</u>	<u>AA5</u>	<u>AA6</u>	<u>AA7</u>	<u>AA8</u>
A	55	74	74	90	98
B	47	54	54	70	77
C	92	102	102	138	146
D	15 1/8	23 3/8	21 3/8	26 5/8	27 5/8
E	24 3/4	27 1/4	31 1/4	36 3/4	42 3/4
F	24 3/4	27 1/4	31 1/4	36 3/4	42 15/16
G	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
H	11	14 1/2	9 1/4	16 1/2	12 1/4
J	11 1/4	12 1/4	13 1/2	16 3/4	14 13/16
K	4	4	4	4	4
L	24	28	28	40	44
M	4 9/16	3 13/16	3 13/16	3 11/16	3 11/16
N	41	60	60	76	76
C1	36	36	36	36	36
D1	24	28	28	40	44
E1	43	62	62	78	86
K1	53	58	58	70	74
L1	74	91	91	84	84
M1	56	73	73	84	84
APROX. WEIGHT	2,100#	3,275#	3,550#	5,525#	6,225#

UNIT WEIGHTS ARE BASED ON MAXIMUM CABINET CFM WITH MINIMUM STAND HEIGHT REQUIRED



* 5496 N. RIVERVIEW DR. * KALAMAZOO, MI 49004 *

PROJECT NAME:

AA4-8 UPRIGHT DIM. CHART

REF. NO./JOB NO.:

—

MODEL: AA4-8U

TAC: —

DRAWN BY:

A. REEG

DATE: 10-3-08

SCALE: NONE

CERTIFIED BY:

DRAWING NO.: S:\UNIT DRAWINGS\AA4-8UPRT-DEL